ABSTRACT OF THE DISCLOSURE

An electrophotographic photoconductor having at least a photosensitive layer on a conductive support, wherein the electrophotographic photoconductor comprising, in the outermost layer thereof: a filler, an organic compound having an acid value of 10-400mgKOH/g, and at least one of compounds represented by the following general formulas 1 and 2:

$$\begin{pmatrix}
\mathbb{R}^{3} \\
\mathbb{R}^{4}
\end{pmatrix}_{k} \qquad \begin{pmatrix}
\mathbb{R}^{4} \\
\mathbb{R}^{5}
\end{pmatrix}_{m} \qquad \mathbb{R}^{1}$$

$$\begin{pmatrix}
\mathbb{R}^{3} \\
\mathbb{R}^{4}
\end{pmatrix}_{k} \qquad \begin{pmatrix}
\mathbb{R}^{4} \\
\mathbb{R}^{5}
\end{pmatrix}_{m} \qquad \mathbb{R}^{1}$$

$$\begin{pmatrix}
\mathbb{R}^{3} \\
\mathbb{R}^{1}
\end{pmatrix}_{k} \qquad \begin{pmatrix}
\mathbb{R}^{4} \\
\mathbb{R}^{1}
\end{pmatrix}_{m} \qquad \mathbb{R}^{1}$$

$$\begin{pmatrix}
\mathbb{R}^{4} \\
\mathbb{R}^{1}
\end{pmatrix}_{k} \qquad \begin{pmatrix}
\mathbb{R}^{5} \\
\mathbb{R}^{1}
\end{pmatrix}_{m} \qquad \mathbb{R}^{2}$$
General Formula 2

where R¹, R² are substituted or unsubstituted alkyl groups or aromatic hydrocarbon rings, and may be identical or different. R¹, R² may also be bonded together to form a substituted or unsubstituted heterocycle containing a nitrogen atom. R³, R⁴, R⁵ are substituted or unsubstituted alkyl or alkoxy groups, or halogen atoms. Ar is a substituted or unsubstituted aromatic hydrocarbon ring or aromatic heterocycle. n is an integer in the range 2 to 4, and k, l, m are respectively integers in the range 0 to 3. X is an oxygen atom, or a sulfur atom.